

LISTERINE® BRAND

FROM THE
**#1 DENTIST
RECOMMENDED
BRAND**



PICK YOUR RINSE

Buy any 1 case, get 1 case FREE!*



POWERED BY
OUR 4 ESSENTIAL
OILS FORMULA

LISTERINE® COOL MINT®
Antiseptic Mouthwash, 3.2 Fl. Oz.
[42795]

The only ADA-Accepted
Branded Antiseptic Mouthwash.



LISTERINE ZERO®
Mouthwash, 3.2 Fl. Oz.
[42830]

Alcohol free.
Less intense taste.



POWERED BY
RAPID FUSION
TECHNOLOGY†

LISTERINE® TOTAL CARE
Anticavity Mouthwash, 3.2 Fl. Oz.
[30695]

Up to 7X more fluoride uptake
than other fluoride rinses.§||



POWERED BY
RAPID FUSION
TECHNOLOGY†

LISTERINE® TOTAL CARE ZERO
Anticavity Mouthwash, 3.2 Fl. Oz.
[30668]

Compared to other fluoride rinses,§
superior fluoride uptake.
ZERO alcohol option.



POWERED BY
CRYSTAL BLOCK®
TECHNOLOGY

LISTERINE® SENSITIVITY
Mouthrinse, 3.2 Fl. Oz.
[23595]

Recommend LISTERINE® SENSITIVITY
to your patients for long-lasting relief
from the pain of tooth sensitivity.¶,†

PICK YOUR FLOSS

Buy 2 cases, get 1 case FREE!*



**LISTERINE®
ULTRACLEAN®**
5yd Floss
[44026]

Slides as easily as the
leading floss product...
and removes up to 2x
more plaque.¹,²



**LISTERINE®
COOL MINT™**
5yd Floss
[44037]

Removes up to 61%
more plaque than the
leading floss product.¶



**LISTERINE®
GENTLE GUM CARE**
5yd Floss
[44022]

Removes up to 40%
more plaque than the
leading floss product.¶



**REACH®
Mint Waxed**
5yd Floss
[9864]

Removes plaque.

Contact your sales representative to purchase or learn more.

Limited-time offer • No contract required • Free goods shipped with order

Visit us at www.ListerineProfessional.com

Free offer good while supplies last

LISTERINE® Interdental does not contain mouth rinse ingredients. *Free case must be the same product as the purchased case. §Compared to other fluoride rinses in a laboratory study. ||Data on file, Johnson & Johnson Consumer Inc. #Superior fluoride uptake vs. other non-alcohol branded product in a laboratory study. †Sensitivity relief in 2 weeks with continued use. **Must buy 2 of the same case. Free case must be the same product as the purchased products. REFERENCES: 1. Charles CA, Vair LH, Queiroz D, et al. Comparing consumer acceptance and perceived benefits of two floss technologies. *J Dent Hyg.* 2009;83(4):204. 2. Morris A, Santos S, Sinatra K, et al. Plaque removal of a revolutionary monofilament floss with flexible MICRO-GROOVES®. *J Dent Res.* 2009;88(Spec Issue A). Abstract 1574. www.dentalresearch.org 3. Sharma D, Hong CX, Heipp P. A novel potassium oxalate-containing tooth-desensitizing mouthrinse: A comparative in vitro study. *J Dent.* 2013;41(Suppl 4):S18-S27. ©J&JCI 2019 USE ALL PRODUCTS ONLY AS DIRECTED.